

Sunlite 49156-SU LED Curved Glass Wall Sconce Fixture, 9 Watts (60W Equivalent), Dimmable, 500 Lumen, Frosted Glass and Brushed Nickel Finish, ETL Listed, 40K - Cool White

Curved

DESCRIPTION:

This Sunlite Curved Glass LED wall sconce will add a contemporary touch to any home or business. The brushed nickel frame holds a curved opaque lens with a decorative grid pattern. This fixture emits a dimmable 4000K cool white light at 500 lumen. Estimated yearly energy cost of \$1.08 (based on 3 hours/day \$0.11/kWh). ETL Listed for safety and quality. With built-in LEDs this attractive fixture will provide up to 50,000 hours of reliable and maintenance free service. Installation hardware and instructions included.



- LED TECHNOLOGY Each fixture has 18 energy saving LEDs built-in that never need replacing. They emit a dimmable 4000K cool white light with a bright 500 lumen output.
- CONTEMPORARY DESIGN The brushed nickel frame holds a curved opaque lens with a decorative grid pattern. Suitable for residential and commercial applications. Ideal for hallways, entry ways, living rooms, dining rooms, bedrooms, office spaces, bathrooms, powder rooms and more.
- MAINTENANCE FREE With a life span of up to 50,000 hours this fixture is designed for years or reliable and maintenance-free service with no bulbs to replace.
- ENERGY EFFICIENT They put off as much light as a 60 watt bulb while only using 9 watts of electricity. Estimated yearly energy cost of \$1.08 (based on 3 hours/day \$0.11/kWh).
- ETL LISTED This fixture is ETL Listed for safety and quality. Easy to install on any junction box. Mounting hardware and installation instructions are included.





SPECIFICATIONS:

General Characteristics

Average Rated Hours

Finish

Average Life Span Years

Dimmable

Dimming Type

Dimming Percentage

Material

Lens Material

Lens Finish

Bulb Type

50000

Brushed Nickel

46

Yes

Forward Phase (Triac or

Incandescent)

20-100%

Steel & Glass

Metal & Glass Frosted

Integrated

9

120

20

0.9 20~40

5630

Electrical Characteristics

Watts

Volts

Equivalent Wattage

Light Characteristics

LED Chip Manufacturer

Power Factor

Temperature

Lumens Brightness Color Rendering Index CRI

Emitted Color

Color Temperature Kelvin

Beam Angle

500 80

Cool White

4000K

120°

Fixture Characteristics

Shape

Number of Lights

Mounting

Mounting

Fixture Technology

Use Location

Square

1 Wall

vvan

LED

Indoor

Additional Features

Safety Rating Mark

Yes

Safety Rated For Canada Safety Rated For USA

Yes

Product Dimensions

Size

Item Dimension (in)

Package Dimension (in)

Package Weight (lb)

Product Data

Case Unit Rate

Item UPC

Warranty Years

14"

(W) 14 (H) 6.5 (D) 3

(W) 8.11 (H) 6.07 (D) 14.8

2.540

6

653703491561

5

ETL Listed - Dry Location



ACCESSORIES:

Catalog # 98952-CMP Universal