

Bi-Pin**Sunlite 25 Watt, Single Ended T3.5, G9
Bi-Pin Base, Clear**

Single Ended T3.5

DESCRIPTION:

Sunlite Halogen bulbs produce more lumens per-watt (LPW) and have a longer lamp life than standard incandescent lamps. You can lower operation costs by more than 30% by using fewer halogen lamps to produce a greater amount of light. These G9 Bi-Pin Based bulbs can last up to 1.8 years with normal household use of 3 hours a day and display a brighter, whiter light than incandescent bulbs. This Sunlite 25-watt, G9 Bi-Pin Based bulb offers 200 lumens of brightness, a clear glass finish and has an average rated life of 2000 hours. Great for portable lamps, ceiling fixtures, track lighting, showcase displays and most common lighting needs.

FEATURES:

- 25-Watt, 260 Lumens
- 2,000 Hour Average Lamp Life
- GY8 base
- Clear glass, UV protected
- Q25/G9/CL/120V



SPECIFICATIONS:

General Characteristics

Bulb Shape	Bi-Pin
Average Rated Hours	2000
Finish	Clear
Base	Wire Style Base (G9)
Average Life Span Years	2

Electrical Characteristics

Watts	25
Volts	120

Light Characteristics

Lumens Brightness	200
Color Rendering Index CRI	100
Coating	UV Protected
Emitted Color	Bright White
Color Temperature Kelvin	3200K

Additional Features

Title 20	Lawful for sale in California
Mercury Free	Yes

Product Dimensions

MOL (in)	1.60
Diameter (in)	0.6
Item Dimension (in)	(W) 0.6 (H) 1.6 (D) 0.6
Package Dimension (in)	(W) 0.9 (H) 2.8 (D) 0.9
Package Weight (lb)	0.017

Product Data

Case Unit Rate	12
Pack Size	1
Item UPC	653703660257



VARIATIONS:



66025-SU



66076-SU



66035-SU

Item Number	Description	Watts	Lumens	CRI	Kelvin Color	Hours	Pack
66025-SU	Q25	25	200	100	3200K BW	2000	1
66076-SU	Q50	50	600	100	3200K BW	2000	1
66035-SU	Q60	60	800	100	3200K BW	2000	1