

MR Series

Sunlite 35 Watt, 36° Flood, MR8 Mini Reflector with Cover Guard, G4 Bi-Pin Base

MR8 Mini Reflector

DESCRIPTION:

Sunlite Halogen bulbs produce more lumens per-watt (LPW) and have a longer lamp life than standard incandescent lamps. You can lower operation costs by more than 30% by using fewer halogen lamps to produce a greater amount of light. These MR8 G4 Based Mini Reflector bulbs can last up to 1.8 years with normal household use of 3 hours a day and display a brighter, whiter light than incandescent bulbs. This Sunlite 35-watt, MR8 G4, based Mini Reflector bulb offers a light output of 500 CBCP, has a glass lens cover and has an average rated life of 2000 hours. Great for portable lamps, ceiling fixtures, track lighting, showcase displays and most common lighting needs.

FEATURES:

- 35-Watt, 500 CBCP
- 2,000 Hour Average Lamp Life
- G4 base
- Cover guard
- 35MR8/CG/FL/12V





sunlite

SPECIFICATIONS:

General Characteristics

Volts

-		• •		
Prod	uct	Dime	ensi	ons
				••

Bulb Shape	MR8	MOL (in)	1.32
Average Rated Hours	2000	Light Center Length	0.984
Base	2-Pin (G4)	Diameter (in)	0.987"
Average Life Span Years	2	Item Dimension (in)	(W) 0.99 (H) 1.31 (D) 0.99
Lens Louver	Cover Guard	Package Dimension (in)	(W) 1.1 (H) 1.4 (D) 1.2
Electrical Characteristics		Package Weight (lb)	0.030
Watts	35	Product Data	

Case Unit Rate	12
Pack Size	1
Item UPC	653703031965

Light Characteristics

Color Rendering Index CRI	100		
CBCP	500		
Emitted Color	Bright White		
Color Temperature Kelvin	3200K		
Beam Angle	36°		
Beam Angle Description	Flood		

Additional Features

Title 20

Mercury Free

Not for sale in the State of California Yes

12





VARIATIONS:



Item Number	Description	Watts	CRI	Kelvin Color	Hours	Pack
03196-SU	35MR8/	35	100	3200K BW	2000	1
03197-SU	35MR8/SP	35	100	3200K BW	2000	1